

I. Listing of the Claims:

This listing of claims replaces all prior versions or listings of claims in the application:

1. (Currently Amended) An isolated hyperactive Moloney Murine Leukemia Virus (M-MLV) reverse transcriptase protein comprising a ~~point~~ mutation in the processivity domain corresponding to H638 and a ~~point~~ mutation in the nucleotide selection domain corresponding to F155, with reference to wild-type M-MLV.
2. – 4. (Canceled)
5. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase may be used in the preparation of full-length cDNA.
6. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase comprises reverse transcriptase produced recombinantly.
7. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase is purified.
8. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase is purified and is greater than 90% pure.
9. (Previously presented) The reverse transcriptase of claim 1, wherein the mutation in the processivity domain comprises H638G.
10. (Cancelled)
11. (Previously presented) The reverse transcriptase of claim 1, wherein the mutation in the nucleotide selection domain comprises F155Y.
12. (Previously presented) The reverse transcriptase of claim 1, wherein the mutation in the processivity domain comprises one or more of the following mutations corresponding to the

amino acids in MMLV-RT: H638G and the mutation in the nucleotide selection domain comprises F155Y.

13. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 1 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
14. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 5 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
15. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 7 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
16. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 10 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
17. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 15 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
18. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 25 ug of an aRNA from 100 ng of template RNA in a single amplification reaction.
19. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 1 ug of an aRNA from 10 pg of template RNA after a two-round amplification reaction.

20. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 2 ug of an aRNA from 10 pg of template RNA after a two-round amplification reaction.
21. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 5 ug of an aRNA from 10 pg of template RNA after a two-round amplification reaction.
22. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a yield of greater than about 10 ug of an aRNA from 10 pg of template RNA after a two-round amplification reaction.
23. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a cDNA greater than about 6, 9 or even 11 kilobases in a single cDNA synthesis reaction.
24. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a cDNA greater than about 6 to about 15 kilobases in a single cDNA synthesis reaction.
25. (Original) The reverse transcriptase of claim 1, wherein the reverse transcriptase produces a cDNA greater than about 15 kilobases in a single cDNA synthesis reaction.
26. (Original) The reverse transcriptase of claim 1, wherein the DNA polymerase activity is greater than about 200 Units per microgram.
27. (Original) The reverse transcriptase of claim 1, wherein the DNA polymerase activity is between about 0.1 and 300 Units per microgram.
28. (Original) The reverse transcriptase of claim 1, wherein the RNase H activity is between about 0.1 and about 25 percent of the wild-type RNase H activity.
- 29 -83. (Cancelled)

84. (Previously presented) The hyperactive reverse transcriptase protein of Claim 1, further comprising one or more mutations that replace at least one amino acid of the processivity domain and the nucleotide selection domain, with an alternative naturally occurring L-amino acid, the one or more mutations selected from the group consisting of: (1) a substitution of any of isoleucine, valine, and leucine for any other of these amino acids; (2) a substitution of aspartic acid for glutamic acid or vice versa; (3) a substitution of glutamine for asparagine or vice versa; (4) a substitution of serine for threonine or vice versa; (5) a substitution of glycine for alanine or vice versa; (6) a substitution of alanine for valine or vice versa; (7) a substitution of methionine for any of leucine, isoleucine, or valine and vice versa; and (8) a substitution of lysine for arginine or vice versa.

85. (Previously presented) The reverse transcriptase protein of claim 84, wherein the one or more mutations is selected from the group consisting of: (1) a substitution of any of isoleucine, valine, or leucine for any other of these amino acids; (2) a substitution of aspartic acid for glutamic acid or vice versa; (3) a substitution of glutamine for asparagine or vice versa; and (4) a substitution of serine for threonine or vice versa.

86. (Previously presented) A kit for nucleic acid synthesis, comprising, in a suitable container:

a hyperactive reverse transcriptase protein of Claim 1; and

a reaction solution for the reverse transcriptase protein.

87. (Previously presented) The kit of claim 86, further comprising an insert that comprises information for using the reverse transcriptase protein.

88. (Original) The kit of claim 86, wherein the reaction solution comprises a reverse transcriptase reaction buffer.

89. (Original) The kit of claim 86, further comprising a primer.

90. (Original) The kit of claim 86, wherein the reaction solution comprises a reverse transcriptase buffer.
91. (Original) The kit of claim 86, wherein the reaction solution comprises a PCR buffer.
92. (Original) The kit of claim 86, further comprising a mix of nucleotides.
93. (Original) The kit of claim 86, further comprising containers comprising individual nucleotides.
94. (Original) The kit of claim 86, wherein the reaction solution comprises a buffer for in vitro transcription.
95. (Original) The kit of claim 86, further comprising a template purification column.
96. (Original) The kit of claim 86, further comprising magnetic particles suitable for nucleic acid purification.
97. (Currently Amended) A kit for nucleic acid synthesis, comprising, in a suitable container:
- a hyperactive reverse transcriptase protein comprising a ~~one-point~~ mutation in the processivity domain corresponding to H638 H638G, with reference to wild-type M-MLV; and
- a reaction solution for the reverse transcriptase.
98. (Currently Amended) A kit for nucleic acid synthesis, comprising, in a suitable container:
- a hyperactive reverse transcriptase protein comprising a ~~point~~ mutation in the processivity domain corresponding to H638G and a ~~point~~ mutation in the nucleotide selection domain corresponding to F155Y, with reference to wild-type M-MLV; and
- a reaction solution for the reverse transcriptase.

99 - 101. (Cancelled)

102. (Currently Amended) A kit for RNA amplification, comprising, in a suitable container: a hyperactive reverse transcriptase protein comprising H638G in the processivity domain and F155Y in the nucleotide selection domain, with reference to wild-type M-MLV; an oligonucleotide comprising a transcriptional promoter region and oligo(dT) region; a DNA polymerase; and an RNA polymerase.

103. (Previously presented) The kit of claim 102, further comprising an insert that comprises information for using the hyperactive reverse transcriptase protein.

104. (Original) The kit of claim 102, wherein the reaction solution comprises a 10X concentrated reverse transcriptase reaction buffer.

105. (Original) The kit of claim 102, further comprising a primer.

106. (Original) The kit of claim 102, wherein the reaction solution comprises a reverse transcriptase buffer.

107. (Original) The kit of claim 102, wherein the reaction solution comprises a DNA Polymerase buffer.

108. (Original) The kit of claim 102, further comprising a mix of nucleotides.

109. (Original) The kit of claim 102, further comprising containers comprising individual nucleotides.

110. (Original) The kit of claim 102, wherein the reaction solution comprises a buffer for in vitro transcription.

111. (Original) The kit of claim 102, further comprising a nucleic acid purification column.

112. (Original) The kit of claim 102, further comprising a magnetic particle or particles suitable for nucleic acid purification.

113 - 114. (Cancelled)

115. (Currently Amended) A kit for RNA amplification, comprising, in a suitable container: a hyperactive reverse transcriptase comprising H638G in the processivity domain, with reference to wild-type M-MLV; an oligonucleotide comprising a transcriptional promoter region and oligo(dT) region; a DNA polymerase; and an RNA polymerase.

116. (Original) The kit of claim 115, further comprising an insert that comprises information for using the optimized reverse transcriptase.

117. (Original) The kit of claim 115, wherein the reaction solution comprises a 10X concentrated reverse transcriptase reaction buffer.

118. (Original) The kit of claim 115, further comprising a primer.

119. (Original) The kit of claim 115, wherein the reaction solution comprises a reverse transcriptase buffer.

120. (Original) The kit of claim 115, wherein the reaction solution comprises a DNA polymerase buffer.

121. (Original) The kit of claim 115, further comprising a mix of nucleotides.

122. (Original) The kit of claim 115, further comprising containers comprising individual nucleotides.

123. (Original) The kit of claim 115, wherein the reaction solution comprises a buffer for in vitro transcription.

124. (Original) The kit of claim 115, further comprising a nucleic acid purification column.

125. (Original) The kit of claim 115, further comprising one or more magnetic particles suitable for nucleic acid purification.

126. (Cancelled)

127. (Currently Amended) An RT-PCR kit comprising in one or more suitable containers: a hyperactive reverse transcriptase comprising H638G, with reference to wild-type M-MLV, two or more primers, nucleotides, a thermostable DNA polymerase and an RT-PCT buffer.

128. (Original) The RT-PCR kit of claim 127, wherein the container comprising a hyperactive reverse transcriptase further comprises one or more reverse transcriptases.

129. (Currently Amended) An isolated reverse transcriptase protein comprising ~~an amino acid sequence of~~ SEQ ID NO:2.